

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	410853	computer near5 system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:55
S2	99986	S1 same ((non-volatile adj memory) (nonvolatile adj memory) (non volatile adj memory) rom eprom (flash adj memory) (bubble adj memory) (cmos near3 ram) disc disk (volatile adj memory) RAm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 16:03
S3	486	S2 same (((sequential serial subsequent consecutive successional successive succeeding succedent) adj access) ((sequential\$2 serial\$2 subsequent\$2 consecutive\$2 successional\$2 successive\$2 succeeding\$2 succedent\$2) near5 access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:33
S4	45	S3 same ((Dram sdram memory) near5 interfac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 16:51
S5	411178	computer near5 system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 10:33
S6	100104	S5 same ((non-volatile adj memory) (nonvolatile adj memory) (non volatile adj memory) rom eprom (flash adj memory) (bubble adj memory) (cmos near3 ram) disc disk (volatile adj memory) RAm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:35
S7	1018	S6 same (((sequential serial subsequent consecutive successional successive succeeding succedent) adj access) ((sequential\$2 serial\$2 subsequent\$2 consecutive\$2 successional\$2 successive\$2 succeeding\$2 succedent\$2) with access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:34

S8	572	S6 same ((initializ\$3 with boot\$3) (boot near5 code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:37
S9	3	S7 same S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:44
S10	29	S7 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:46
S11	0	S9 same ((\$4volatile near5 memory) same interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:48
S12	2731	S6 same ((\$4volatile near5 memory) same interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:48
S13	10	S10 and ((\$4volatile near5 memory) same interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:49
S14	12	S9 S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 13:33
S15	2	S14 and (SDRAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 14:33

S16	8	S14 and (initializ\$3 same (boot\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 13:41
S17	4	S14 and ((memory near5 location) same (control signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 14:39
S18	2	S14 and (read\$3 near5 (boot adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:00
S19	2	"I10" and (read\$3 near5 (boot adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:32
S20	410853	computer near5 system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:32
S21	99986	S20 same ((non-volatile adj memory) (nonvolatile adj memory) (non volatile adj memory) rom eprom (flash adj memory) (bubble adj memory) (cmos near3 ram) disc disk (volatile adj memory) RAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:02
S22	1015	S21 same (((sequential serial subsequent consecutive successional successive succeeding succedent) adj access) ((sequential\$2 serial\$2 subsequent\$2 consecutive\$2 successional\$2 successive\$2 succeeding\$2 succedent\$2) with access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:33
S23	572	S21 same ((initializ\$3 with boot\$3) (boot near5 code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:34

S24	3	S22 same S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:02
S25	29	S22 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:02
S26	10	S25 and ((volatile near5 memory) same interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:34
S27	12	S24 S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:02
S28	8	S27 and (initializ\$3 same (boot\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:35
S29	8	S28 and (control address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:35
S30	2	S28 and ((control address) near3 line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:36
S31	0	S30 and (configur\$3 with ((interface bus) near SDRAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:36

S32	0	S30 and (configur\$3 with ((interface bus) near5 SDRAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:37
S33	1	S30 and (configur\$3 with ((interface bus)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:37
S34	10	S25 and (SDRAM near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:37
S35	900	(SDRAM near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:32
S36	0	"I17" and (read\$3 near5 (boot adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:38
S37	768	S35 and ((computer processor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:33
S38	35	S35 same (((sequential serial subsequent consecutive successional successive succeeding succedent) adj access) ((sequential\$2 serial\$2 subsequent\$2 consecutive\$2 successional\$2 successive\$2 succeeding\$2 succedent\$2) with access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:33
S39	2	S35 same ((initializ\$3 with boot\$3) (boot near5 code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:48

S40	89	S35 and ((volatile near5 memory) same interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:34
S41	55	S35 and (initializ\$3 same (boot\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:35
S42	866	S35 and (control address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:35
S43	360	S35 and ((control address) near3 line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:36
S44	9	S35 and (configur\$3 with ((interface bus) near SDRAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:49
S45	28	S35 and (configur\$3 with ((interface bus) near5 SDRAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:37
S46	269	S35 and (configur\$3 with ((interface bus)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:37
S47	900	S35 and (SDRAM near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:37

S48	0	"I17" and (read\$3 with (boot adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:38
S49	0	S37 and S38 and S40 and S41 and S42 and S43 and S45 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:40
S50	120	S37 and S42 and S43 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:40
S51	0	S38 and S40 and S41 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:41
S52	4	S38 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:50
S53	2	S41 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:50
S54	11	S39 S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:42
S55	17	S52 S53 S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:43

S56	6	S55 and S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 16:43
-----	---	-------------	---	----	-----	------------------